




IN (mV)	OUT(mV) RL=47k	IN(dBV)	OUT(dBV)
0.2	6.8	-74.0	-43.3
0.3	8.6	-70.5	-41.3
0.4	10.0	-68.0	-40.0
0.5	65.0	-66.0	-23.7
0.6	170.0	-64.4	-15.4
0.7	300.0	-63.1	-10.5
0.8	320.0	-61.9	-9.9
0.9	320.0	-60.9	-9.9
1.0	320.0	-60.0	-9.9
1.1	340.0	-59.2	-9.4
1.2	340.0	-58.4	-9.4
1.3	340.0	-57.7	-9.4
1.4	345.0	-57.1	-9.2
1.5	350.0	-56.5	-9.1
1.6	350.0	-55.9	-9.1
1.8	360.0	-54.9	-8.9
2.0	360.0	-54.0	-8.9
2.5	370.0	-52.0	-8.6
3.0	380.0	-50.5	-8.4
4.0	390.0	-48.0	-8.2
5.0	400.0	-46.0	-8.0
6.0	400.0	-44.4	-8.0
7.0	410.0	-43.1	-7.7
8.0	415.0	-41.9	-7.6
9.0	420.0	-40.9	-7.5
10.0	425.0	-40.0	-7.4
12.0	435.0	-38.4	-7.2
14.0	440.0	-37.1	-7.1
16.0	445.0	-35.9	-7.0
18.0	450.0	-34.9	-6.9
20.0	455.0	-34.0	-6.8
24.0	460.0	-32.4	-6.7
28.0	465.0	-31.1	-6.7
32.0	470.0	-29.9	-6.6
36.0	475.0	-28.9	-6.5
40.0	460.0	-28.0	-6.7



F	OUT(mV) RL=47k	OUT(mV)
50	-9.9	320
100	-9.6	330
200	-9.6	330
300	-9.6	330
400	-9.6	330
500	-9.6	330
600	-9.5	335
700	-9.5	335
800	-9.5	335
900	-9.5	335
1000	-9.5	335
1100	-9.5	335
1200	-9.5	335
1300	-9.4	340
1400	-9.4	340
1500	-9.4	340
1600	-9.4	340
1700	-9.4	340
1800	-9.4	340
1900	-9.4	340
2000	-9.4	340
2500	-9.6	330
3000	-9.9	320
3500	-10.5	300
4000	-11.1	280





4500	-11.7	260
5000	-12.8	230
5500	-13.8	205
6000	-14.9	180
7000	-17.1	140
8000	-19.2	110
9000	-20.9	90
10000	-23.7	65